



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/614,087

07/08/2003

Samuel David Conzone

SGT 32 C1

8304

23599 7590 02/16/2007  
MILLEN, WHITE, ZELANO & BRANIGAN, P.C.  
2200 CLARENDON BLVD.  
SUITE 1400  
ARLINGTON, VA 22201

EXAMINER

WARD, JESSICA LEE

ART UNIT

PAPER NUMBER

1733

MAIL DATE

DELIVERY MODE

02/16/2007

PAPER

**Please find below and/or attached an Office communication concerning this application or proceeding.**



UNITED STATES DEPARTMENT OF COMMERCE

U.S. Patent and Trademark Office

Address: COMMISSIONER FOR PATENTS

P.O. Box 1450

Alexandria, Virginia 22313-1450

10/6/4 087

APPLICATION NO./ CONTROL NO.	FILING DATE	FIRST NAMED INVENTOR / PATENT IN REEXAMINATION	ATTORNEY DOCKET NO.
---------------------------------	-------------	---	---------------------

EXAMINER
----------

ART UNIT	PAPER
----------	-------

20070213

DATE MAILED:

Please find below and/or attached an Office communication concerning this application or proceeding.

Commissioner for Patents

Jessica L. Ward  
Primary Examiner  
Art Unit: 1733

## DETAILED ACTION

### *Drawings/Specification*

1. The drawings/specification are not acceptable because **Figure 7 is not labeled and it is not included in the brief description of the drawings.** Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as “amended.” **If a drawing figure is to be canceled**, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either “Replacement Sheet” or “New Sheet” pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action.

**Applicant has a shortened statutory time period of two months to reply to this communication with NO extensions of time permitted (See MPEP 608.02(z)).**


### *Conclusion*

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jessica L. Ward whose telephone number is 571-272-1223. The examiner can normally be reached on Mon-Fri between 9AM and 6:30PM.

Art Unit: 1733

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Richard D. Crispino can be reached on 571-272-1226. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

  
Jessica L. Ward  
Primary Examiner  
Art Unit 1733